



# Wolver Hydrauliköl HLP 22

VERPACKUNG

208 L | 60 L | 20 L

**WOLVER Hydrauliköl HLP 22** is optimum alloyed and is having a high performance level as well as a broad field of application within the whole industry.

It especially distinguish with good viscosity-temperature behaviour, high ageing stability and reliable corrosion protection.

Effective additives provides an excellent wear protection under extreme loads. too (FZG-Test A/8,3/90 12th damage loading step). The behaviour against sealing materials is neutral).

SPECIFICATIONS DIN 51524 Teil 2 ISO HM MEETS THE REQUIREMENTS OF BOSCH Rexroth SEB 181222 ANFOR NF E 48-603 (HM, HV) SIS SS 155434 Denison Filterability TP 02100 Hoesch HWN 2333 U.S.Steel 126 u., 127 CETOP RP 91 H (HM, HV) Sperry Vickers M-3950-S u., I-286-S FZG-Test A 8,3/90 12

#### **Characteristics**

- High pressure susceptibility
- Excellent wear protection
- High air and water separating property
- Very good viscosity temperature behaviour
- High ageing stability
- Reliable corrosion protection
- Neutral towards sealing materials

#### **Effects**

- High operation safety of hydraulic equipment
- Favourable operating properties
- High performance level

## **Utilization**

- Hydraulic equipment according DIN 51524
- for exampel: mobil hydraulics, pressing and forging plants, splash-pour-machines, a.o.

## **Disposal**

• WOLVER Hydrauliköl HLP 22 is assigned to category 2 of used oils and thus is free for disposal.

## **Miscibility**

• **WOLVER Hydrauliköl HLP 22** of HLP range is well-tolerated with comparable lubrications and can be mixed. However, it is recommended to take only **WOLVER Hydrauliköl HLP 22** of HLP range when refilling.

## Data table

PROPERTIES	UNIT	TYPICAL INDICATORS
Specific weight at 15°C	kg/m³	862
Viscosity at 40°C	cSt	22
Viscosity at 100°C	cSt	4,4
Viscosity index		110
Flash point COC	°C	220
Pour point	°C	-29
TAN	mgKOH/g	0,2