



## Wolver Antifreeze & Coolant Concentrate WG11 Green

### VERPACKUNG

208 L | 60 L | 5 L | 1.5 L

**Wolver Antifreeze & Coolant WG11 Green Concentrate** - high quality concentrate coolant for modern gas and diesel engines of cars, trucks, agricultural machinery, stationary engines (including engines of light metals), which operated in all seasonal and climatic conditions.

**Wolver Antifreeze & Coolant WG11 Green Concentrate** - protects your engine against freezing, overheating, corrosion, prevents the formation of harmful deposits. It provides reliable protection of the engine metal parts made of cast iron, aluminium, copper and steel.

**Wolver Antifreeze & Coolant WG11 Green Concentrate** - produced on the basis of monoethylene glycol and special anti-corrosion additives. Does not contain nitrites, amines, silicates, phosphates and borates.

### SPECIFICATIONS: WG11 Green

### MEETS THE REQUIREMENTS OF:

ASTM D 3306, D 4985  
VW/Audi/Seat/Skoda TL 774-C (G 11),  
BMW GS 9400,  
MAN 324 NF,  
MB 325.0/325.2,  
MTU (MTL 5048),  
BS 6580,  
Porsche,  
Saab 6901 599,  
Opel GM QL 130100, Cummins 85T8-2,  
Cummins CES 14603,

Caterpillar,  
Detroit Diesel 7SE298,  
John Deere 8650-5, Case,  
New Holland, Volvo, MACK 014617004

### Characteristics

- Powerful and long-lasting protection against corrosion for all parts of the cooling system, which consist of materials such as steel, cast iron, aluminum, copper, brass, soft solder
- Maintenance-free frost and overheating protection with a higher boiling point
- Extended coolant life
- Avoidance of cavitation damages, such as on the coolant pump
- Compatibility with varnishes

- Compatibility with hose and sealing materials
- Avoidance of sediments, which can cause radiator plugging
- Avoidance of foaming

### **Application**

**Wolver Antifreeze & Coolant WG11 Green Concentrate** should be mixed before pouring into the cooling circuit with water at a concentration of 33 to max. 60 vol% can be used. Applying a 50/50 ratio for the mixture of water and **Wolver Antifreeze & Coolant WG11 Green Concentrate** is recommended.

Protection against the cold / antifreeze

50 vol% in water -38 ° C

33 vol% in water -18 ° C

### **Miscibility**

To estimate all advantages of **Wolver Antifreeze & Coolant WG11 Green Concentrate** the mixing with other coolants is not recommended. For the preparation of mixtures preferably softened water should be used.

### **Data table**

PROPERTIES	UNIT	TYPICAL INDICATORS
Relative density at 15.6 °C	kg/m <sup>3</sup>	1117
pH value 50% vol aqueous solution	-	8.5
Freezing point 50% vol aqueous solution	°C	-38
Colour	-	green

1,5L - Can	4424	4260360944246
5L - Can	4428	4260360944284
60L - Barrel	4430	4260360944307
208L - Barrel	4434	4260360944345